SWEETWATER AUTHORITY

Vehicle: [Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA



CHULA VISTA FORD 560 AUTO PARK DRIVE CHULA VISTA, CA 92911

Submitted by: Richard Allen Bailey rbailey@ivauto.com (760) 427-2981



Richard Allen Bailey | 760-427-2981 | rbailey@ivauto.com

Vehicle: [Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA (✓ Complete)

Selected Model and Options

MODEL

CODE

MODEL

X3F

2026 Ford Super Duty F-350 SRW XL 4WD SuperCab 168" WB 60" CA

COLORS

CODE

DESCRIPTION

Z1

Oxford White

ENGINE

CODE

DESCRIPTION

99T

Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20

TRANSMISSION

CODE

DESCRIPTION

44G

Transmission: TorqShift 10-Speed Automatic

OPTION PACKAGE

CODE

DESCRIPTION

630A

Order Code 630A

AXLE RATIO

CODE

DESCRIPTION

X3E

Electronic-Locking w/3.73 Axle Ratio

TIRES

CODE

DESCRIPTION

TCH

Tires: LT275/65Rx18E BSW A/S

PRIMARY PAINT

CODE

DESCRIPTION

Z1

Oxford White



Richard Allen Bailey | 760-427-2981 | rbailey@ivauto.com

Vehicle: [Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA (✓ Complete)

SEAT 1	YPE
--------	-----

CODE DESCRIPTION

AS Medium Dark Slate, HD Vinyl 40/20/40 Split Bench Seat

ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION	
52B	Trailer Brake Controller	
67E	250 Amp Alternator	
86M	Dual 68 AH/65 AGM Battery	
	GVWR: 11,500 lb Payload Package	

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION
153	Front License Plate Bracket
18B	Platform Running Boards

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION
76C	Exterior Backup Alarm (Pre-Installed)
872	Rear View Camera & Prep Kit

Options Total



Richard Allen Bailey | 760-427-2981 | rbailey@ivauto.com

Vehicle: [Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA (◀ Complete)



Weight Ratings

5600 lbs
6780 lbs
11500.00 lbs



Richard Allen Bailey | 760-427-2981 | rbailey@ivauto.com

Vehicle: [Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA (✓ Complete)



Technical Specifications

owertrain				
ransmission				
Drivetrain	Four Wheel Drive	Trans Order Code	44G	
Trans Type	10	Trans Description Cont.	Automatic w/OD	
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.62	
Second Gear Ratio (:1)	2.92	Third Gear Ratio (:1)	2.13	
Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52	
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.70	
Clutch Size	N/A	Trans Power Take Off	Yes	
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Electronic	
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A	
Transfer Case Power Take Off	Yes	Seventh Gear Ratio (:1)	1.00	
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	N/A	
Tenth Gear Ratio (:1)	N/A			
lileage				
EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A	
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A	
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A	
ngine				
Engine Order Code	99T	Engine Type	Intercooled Tur Diesel V-8	
Displacement	6.7 ∟/406	Fuel System	Diesel Direct Injection	
SAE Net Horsepower @ RPM	330 @ 2200	SAE Net Torque @ RPM	950 @ 1800	
Engine Oil Cooler	None			
lectrical				
Cold Cranking Amps @ 0° F (Primary)	750	Cold Cranking Amps @ 0° F (2nd)	750	
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	250	



Richard Allen Bailey | 760-427-2981 | rbailey@ivauto.com

Vehicle: [Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA (✓ Complete)

Powertrain			
Cooling System			
Total Cooling System Capacity	N/A		
Vehicle Vehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
Chassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	7119 lbs	Gross Axle Wt Rating - Front	5600 lbs
Gross Axle Wt Rating - Rear	6780 lbs	Curb Weight - Front	3839 lbs
Curb Weight - Rear	2514 lbs	Option Weight - Front	582.00 lbs
Option Weight - Rear	184.00 lbs	Reserve Axle Capacity - Front	1179.00 lbs
Reserve Axle Capacity - Rear	4082.00 lbs	As Spec'd Curb Weight	7119.00 lbs
As Spec'd Payload	4381.00 lbs	Maximum Payload Capacity	5147.00 lbs
Gross Combined Wt Rating	31000 lbs	Gross Axle Weight Rating	12380.00 lbs
Curb Weight	6353.00 lbs	Reserve Axle Capacity	5261.00 lbs
Total Option Weight	766.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	11500.00 lbs
Trailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	13500 lbs	Wt Distributing Hitch - Max Tongue Wt.	1350 lbs
Fifth Wheel Hitch - Max Trailer Wt.	20100 lbs	Fifth Wheel Hitch - Max Tongue Wt.	5025 lbs
Maximum Trailering Capacity	13500 lbs		
Frame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		



Richard Allen Bailey | 760-427-2981 | rbailey@ivauto.com

Vehicle: [Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA (✓ Complete)



uspension			
Suspension Type - Front	Other	Suspension Type - Rear	Leaf
Spring Capacity - Front	5600 lbs	Spring Capacity - Rear	6780 lbs
Axle Type - Front	Non-Independent	Axle Type - Rear	Rigid Axle
Axle Capacity - Front	6000 lbs	Axle Capacity - Rear	6780 lbs
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
res			TOLL
Front Tire Order Code	TCH	Rear Tire Order Code	TCH
Spare Tire Order Code	N/A	Front Tire Size	LT275/65SR18
Rear Tire Size	LT275/65SR18	Spare Tire Size	N/A
Front Tire Capacity	6830 lbs	Rear Tire Capacity	6830 lbs
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	652
Revolutions/Mile @ 45 mph - Rear	652	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	18 X 8 in	Rear Wheel Size	18 X 8 in
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
teering			
Steering Type	Re-Circulating Ball	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	55.3 ft	Turning Diameter - Wall to Wall	N/A
rakes			
Brake Type	4-Wheel Disc	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel	Disc - Front (Yes or)	Yes

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Yes

Front Brake Rotor Diam x Thickness

Data Version: 26254. Data Updated: Aug 18, 2025 6:51:00 PM PDT.

Disc - Rear (Yes or)

14.3 in



Richard Allen Bailey | 760-427-2981 | rbailey@ivauto.com

Vehicle: [Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA (✓ Complete)

14.3 in	Drum - Rear (Yes or)	N/A
N/A		
40 gal	Aux Fuel Tank Capacity, Approx	N/A
N/A	Aux Fuel Tank Location	N/A
6	Front Head Room	40.8 in
43.9 in	Front Shoulder Room	66.7 in
62.5 in	Second Head Room	40.3 in
33.5 in	Second Shoulder Room	65.8 in
64.7 in		
168 in	Length, Overall w/o rear bumper	N/A
N/A	Length, Overall	253.3 in
80 in	Height, Overall	82 in
38.3 in	Overhang, Rear w/o bumper	47.2 in
N/A	Cab to Axle	60 in
107.2 in	Ground to Top of Load Floor	N/A
N/A	Frame Width, Rear	34.1 in
9 in	Ground Clearance, Rear	9 in
0.00 ft	Cab to Body	N/A
N/A	Cargo Box Width @ Floor	N/A
N/A	Cargo Box (Area) Height	N/A
N/A	Cargo Volume	N/A
	A0 gal N/A 6 43.9 in 62.5 in 33.5 in 64.7 in 168 in N/A 80 in 38.3 in N/A 107.2 in N/A 9 in 0.00 ft N/A N/A	Aux Fuel Tank Capacity, Approx N/A Aux Fuel Tank Location 6 Front Head Room 43.9 in Front Shoulder Room 62.5 in Second Head Room 64.7 in 168 in Length, Overall w/o rear bumper N/A Length, Overall 80 in Height, Overall 38.3 in Overhang, Rear w/o bumper N/A Cab to Axle 107.2 in Ground to Top of Load Floor N/A Frame Width, Rear 9 in Ground Clearance, Rear 0.00 ft Cargo Box Width @ Floor N/A Cargo Box Width @ Floor Cargo Box (Area) Height

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26254. Data Updated: Aug 18, 2025 6:51:00 PM PDT.



Vehicle: [Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA (✓ Complete)

Dimensions

Cargo Area Dimensions

Ext'd Cab Cargo Volume

N/A



Vehicle: [Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA (✓ Complete)

Window Sticker

SUMMARY

[Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA

MSRP:\$56,050.00

Interior: Medium Dark Slate, HD Vinyl 40/20/40 Split Bench Seat

Exterior 1:Oxford White

Exterior 2:No color has been selected.

Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20

Transmission: TorqShift 10-Speed Automatic

OPTIONS	MODEL	MSRP
X3F	[Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA	\$56,050.00
	OPTIONS	
153	Front License Plate Bracket	\$0.00
18B	Platform Running Boards	\$445.00
44G	Transmission: TorqShift 10-Speed Automatic	\$0.00
52B	Trailer Brake Controller	\$300.00
630A	Order Code 630A	\$0.00
67E	250 Amp Alternator	\$0.00
76C	Exterior Backup Alarm (Pre-Installed)	\$230.00
86M	Dual 68 AH/65 AGM Battery	Inc.
872	Rear View Camera & Prep Kit	\$515.00
99T	Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20	\$10,995.00
AS	Medium Dark Slate, HD Vinyl 40/20/40 Split Bench Seat	\$0.00
TCH	Tires: LT275/65Rx18E BSW A/S	\$0.00
X3E	Electronic-Locking w/3.73 Axle Ratio	Inc.
Z 1	Oxford White	\$0.00
_	GVWR: 11,500 lb Payload Package	Inc.
	SUBTOTAL	\$68,535.00
	Adjustments Total	\$0.00



Vehicle: [Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA (✓ Complete)

Destination Charge

\$2,195.00

\$70,730.00

TOTAL PRICE

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range: N/A

Vehicle: [Fleet] 2026 Ford Super Duty F-350 SRW (X3F) XL 4WD SuperCab 168" WB 60" CA (✓ Complete)

Quote Worksheet

医松木 经支持保险 医生态性 医神经性神经 医皮肤 医皮肤		MSRP
Base Price		\$56,050.00
Dest Charge		\$2,195.00
Total Options		\$12,485.00
Total Options	Subtotal	\$70,730.00
DOC FEE		\$85.00
B001EE	Subtotal Pre-Tax Adjustments	\$85.00
Less Customer Discount		(\$6,114.00)
Less Customer Discount	Subtotal Discount	(\$6,114.00)
Trade-In		\$0.00
Trade-III	Subtotal Trade-In	\$0.00
	Taxable Price	\$64,701.00
Sales Tax	8.75%	\$5,661.34
CA LICENSE, REGISTRATION & TITLE FEES		\$0.00
CA DMV EVR FEE		\$35.00
CA TIRE FEE		\$7.00
OA TINET LE	Subtotal Taxes	\$5,703.34
	Subtotal Post-Tax Adjustments	\$0.00
	Total Sales Price	\$70,404.34

Dealer Signature / Date

Customer Signature / Date